

In the Claims:

Please amend claims 1 and 2, and add claims 3-22 as follows:

Sub B1  
a

1. (Amended) A biodegradable and bioactive composite material for surgical osteosynthesis applications comprising: at least one resorbable polymeric matrix component[,] including therein at least one resorbable polymeric reinforcing component as a large scale reinforcing element[,] and at least one [ceramic] bioceramic or bioglass reinforcing component as a smaller scale reinforcing element, said bioceramic or bioglass reinforcing component having coarse particles, and said polymeric reinforcing component being distinguishable from the composite material as a whole.

1

2. (Amended) A method of manufacturing a biodegradable composite according to claim 1, comprising the steps of:

- a) selecting at least one first polymer for the matrix;
- b) selecting at least one bioceramic material, bioglass material or mixture thereof for use as the [ceramic] bioceramic or bioglass reinforcing component [element];
- c) mixing said first polymer and said bioceramic or bioglass reinforcing component together to form a mixture;
- d) selecting at least one second polymer in a fiber form for the resorbable polymeric reinforcing component;
- e) placing said second polymer into a desired formation;
- f) combining said mixture of step (c) and said formation of step (e) to yield a second mixture; and
- g) subjecting the second mixture of step (f) to heat or pressure.

3. (New) The composite material according to claim 1 wherein the resorbable polymeric reinforcing component is in fiber form, with fiber diameter being greater than the diameter or particle size of the bioceramic or bioglass reinforcing component.

4. (New) The composite material according to claim 3 wherein at least one fiber has a variable thickness.

5. (New) The composite material according to claim 1 wherein the resorbable polymeric reinforcing component is selected from the group consisting of a fabric, a plain polymeric fiber structure, a woven structure and a braided structure.

6. (New) The composite material according to claim 1 wherein the form of the bioceramic or bioglass reinforcing component is selected from the group consisting of powder, flakes, spheres and fibers.

7. (New) The composite material according to claim 1 wherein particle size of the bioceramic or bioglass reinforcing component is between  $2\mu\text{m}$  and  $150\mu\text{m}$ .

8. (New) The composite material according to claim 1 wherein particle size of the bioceramic or bioglass reinforcing component is between  $60\mu\text{m}$  and  $150\mu\text{m}$ .

9. (New) The composite material according to claim 1 wherein the amount of bioceramic or bioglass reinforcing component is 0.15 to 0.9 volume fraction.

10. (New) The composite material according to claim 9 wherein the amount of bioceramic or bioglass reinforcing component is 0.2 to 0.6 volume fraction.

11. (New) The composite material according to claim 1 further comprising additives selected from the group consisting of surface modifiers to improve attachment between the resorbable polymeric reinforcing component and the bioceramic or bioglass reinforcing component, a pharmaceutically active agent, and combinations thereof.

12. (New) The composite material according to claim 11 wherein the pharmaceutically active agent is selected from the group consisting of antibiotics, wound-healing agents, chemotherapeutic agents, growth hormones, anticoagulants, and combinations thereof.

a<sub>2</sub>  
13. (New) The composite material according to claim 1 wherein the resorbable polymeric matrix component is selected from the group consisting of polyglycolide, copolymers of glycolide, glycolide/L-lactide copolymers, glycolide/trimethylene carbonate copolymers, polylactides, stereocopolymers of polylactides, poly-L-lactide, poly-DL-lactide, L-lactide/DL-lactide copolymers, copolymers of polylactides, lactide/tetramethylglycolide copolymers, lactide/trimethylene carbonate copolymers, lactide/d-valerolactone copolymers, lactide/ε-caprolactone copolymers, polylactide/polyethylene oxide copolymers, polydepsipeptides, unsymmetrically 3,6-substituted poly-1,4-dioxane-2,5-diones, poly-b-hydroxybutyrate, poly-b-hydroxybutyrate/b-hydroxyvalerate copolymers, poly-b-hydroxypropionate, poly-p-dioxanone, poly-d-valerolactone, poly-ε-caprolactone, methylmethacrylate-N-vinyl pyrrolidone copolymers, polyesteramides, polyesters of oxalic acid, polydihydropyrans, polyalkyl-2-cyanoacrylates, polyurethanes, polyvinylalcohol,

polypeptides, poly-b-malic acid, poly-b-alkanoic acids, polycarbonates, polyorthoesters and polyphosphates.

14. (New) The composite material according to claim 1 wherein the bioceramic or bioglass reinforcing component is selected from the group consisting of hydroxyapatite, calcium phosphates, alumina, zirconia, bioactive gel-glass, alpha wollastonite glass ceramic, and mixtures of bioglass and bioceramic materials.

15. (New) The composite material according to claim 1 wherein the composite material exhibits ductile behavior under load.

16. (New) A biodegradable and bioactive composite material for surgical osteosynthesis applications comprising: at least one resorbable polymeric matrix component including therein at least one resorbable polymeric reinforcing component in fiber form and at least one bioceramic or bioglass reinforcing component having coarse particles, wherein the diameter of the resorbable polymeric reinforcing component is greater than the diameter or particle size of the bioceramic or bioglass reinforcing component, and the polymeric reinforcing component is distinguishable from the composite material as a whole, said composite material further having increased mechanical strength.

17. (New) The method according to claim 2 wherein the mixing of step c) is accomplished by melt mixing.